<鋼 板>

品名	枚単重	熱延鋼板	酸洗鋼板	電気メッキ
		SPHC	SPHC-P	SECC
PL 1.6X914X1829	21.0	0	0	0
PL 1.6X1219X2438	37.3	0	0	※○ 枚37.4kg
PL 1.6X1524X3048	58.3	0	0	0
PL 2.0X914X1829	26.3		0	
PL 2.0X1219X2438	46.7		0	0
PL 2.3X914X1829	30.2	0	0	0
PL 2.3X1219X2438	53.7	0	0	0
PL 2.3X1524X3048	83.9	0	0	0
PL 3.2X914X1829	42.0	0	0	0
PL 3.2X1219X2438	74.7	0	0	0
PL 3.2X1524X3048	117	0	0	0
PL 3.2X1524X6096	233	0		
PL 4.5X914X1829	59.1	0	0	
PL 4.5X1219X2438	105	0	0	
PL 4.5X1524X3048	164	0		
PL 4.5X1524X6096	328	0		
PL 6X914X1829	78.8	0	0	
PL 6X1219X2438	140	0	0	
PL 6X1524X3048	219	0		
PL 6X1524X6096	438	0		
PL 9X914X1829	118	0		
PL 9X1219X2438	210	0		
PL 9X1524X3048	328	0		
PL 12X914X1829	158	0		
PL 12X1219X2438	280	0		
PL 12X1524X3048	438	0		
PL 16X914X1829	210	0		
PL 16X1219X2438	373	0		
PL 19X914X1829	249	0		
PL 19X1219X2438	443	0		
PL 22X914X1829	289	0		
PL 22X1219X2438	513	0		

<SS400鋼板>

厚み		914X1829	1219X2438	1524X3048
2.3mm	사兴 로	20.0	F0.7	00.0
	枚単重	30.2	53.7	83.9
3.2mm	枚単重	42.0	74.7	117.0
4.5mm			0	0
4.5/1/1/1	枚単重	59.1	105.0	164.0
6mm			0	0
011111	枚単重	78.8	140.0	219.0
9mm			0	0
311111	枚単重	118.0	210.0	328.0
12mm			0	0
1211111	枚単重	158.0	280.0	438.0

<縞 板>

厚み		914X1829(3'x6')	1219X2438(4'x8')	1524x3048(5'x10')
3.2mm		0	0	0
	枚単重	44.8	79.6	124
4.5mm		Ō	O	O
	枚単重	61.8	110	172
6mm		0	0	0
	枚単重	81.5	145	227
9mm		0	0	0
	枚単重	121	215	336

<レール>

ベレール >	w=		40	40
品 名	m単重	5.5	10	12
レール 6K	5.98	O 32.9		
レール 9K	8.94	O 49.2		
レール 10K	10.1	O 55.6		
レール 12K	12.2		O 122	O 146
レール 15K	15.2		O 152	O 182
レール 22K	22.3		O 223	O 268
レール 30K	30.1		O 301	O 361
レール 37K	37.2		O 372	O 446
レール 40K	40.9	_	O 409	O 491
レール 50K	50.4		O 504	O 605
レール 60K	60.8		O 608	O 730